

Concierge-E 4 Passenger

The easy way to move

At Yamaha we've used our unrivalled technical expertise in Golf Car design to build the latest generation of local transport vehicles that cater for a wide variety of business and private users.

Equipped with a luxurious 4-seat interior that offers class-leading levels of comfort, security and convenience, the electric Concierge is the clean, quiet and economical way to move people quickly, safely and efficiently.

With a 31km/h (20mph) top speed, its responsive 5kW electric motor gives plenty of performance, and with a tough wipe-clean thermoplastic body and low maintenance requirements, the Concierge makes everyone's life easier!

- Luxurious 4-seat electric transportation
- Silent-running zero-emission electric motor
- Widest bench seats in the class
- Sculpted seats with generous legroom
- Industry leading 5kW/6.7HP power output
- Tru-Trak II™ independent front strut suspension
- Headlights and tail lights
- Comfortable, safe and convenient guest transport







Tru-Trak II™ independent front strut suspension

For a smooth, comfortable and luxurious ride, the Concierge is equipped with Yamaha's leading Tru-Trak II™ independent automotive style front strut suspension while at the rear there's a unit swing arm with coil springs and hydraulic shock absorbers.



High efficiency 48V AC electric motor

The Concierge's high-efficiency electric motor is one of the most sophisticated and powerful designs in its class, and delivers 5 kW/6.7HP through the rear wheels to give a smooth and virtually silent ride - with the added advantage of zero emissions making it suitable in any situation.



Light and strong HybriCore™ chassis

The Concierge's HybriCore™chassis has been constructed using the latest technology, and features a welded automotive ladder-style steel frame that is fitted with a tough and lightweight polypropylene floor, giving a light and strong structure.



Stylish bodywork with underseat storage

Featuring a tough thermoplastic bodyshell that's finished in a high-gloss polyurethane coating, the Concierge's unrivalled quality stands out. There's plenty of underseat storage space for carrying personal items, and the lightweight roof gives protection from the sun and rain.



Headlights and tail lights

Fitted with headlights and tail lights as standard equipment, this 'A' list people mover is designed to operate day and night, indoors and outside, making it one of the most versatile and convenient ways to transport guests, members or clients from A to B.



Widest bench seats in the class

The Concierge is designed to please the most demanding passenger, and is equipped with the widest bench seats in the class. And with generous legroom and outer armrests, this is the only way to arrive!



Concierge-E 4 Passenger

Power supply/Drive train	
Output rating	5.0 kW
Motor	48 Volt high-efficiency
Transaxle	Mechanical, 2 rear wheel
Batteries	Six 8-volt Trojan T875 Batteries
Dimensions	
Overall length	3,250 mm
Overall width	1,200 mm
Overall height (sun top)	1,910 mm
Overall height (no sun top)	1,222mm
Wheel base	2,492 mm
Front wheel tread	870 mm
Rear wheel tread	980 mm
Minimum ground clearance	148 mm
Floor board height	342mm
Floor board height	
Floor board height Chassis	342mm Automotive style HybriCore™ Chassis,
Floor board height Chassis Frame	342mm
Floor board height Chassis Frame Body	342mm Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat Thermoplastic olefin, 2-part top coat of automotive-
Floor board height Chassis Frame Body Steering	342mm Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat Thermoplastic olefin, 2-part top coat of automotive- grade polyurethane Lubricated steering with sealed bearings and greaseless tie-rod ends
Floor board height Chassis Frame Body Steering Front suspension	342mm Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat Thermoplastic olefin, 2-part top coat of automotive- grade polyurethane Lubricated steering with sealed bearings and greaseless tie-rod ends Tru-Trak II™ fully independent automotive-style strut
Floor board height Chassis Frame Body Steering Front suspension Rear suspension	342mm Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat Thermoplastic olefin, 2-part top coat of automotive- grade polyurethane Lubricated steering with sealed bearings and greaseless tie-rod ends Tru-Trak II™ fully independent automotive-style strut suspension Unit swing arm with coil springs over hydraulic shock
-	342mm Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat Thermoplastic olefin, 2-part top coat of automotive- grade polyurethane Lubricated steering with sealed bearings and greaseless tie-rod ends Tru-Trak II™ fully independent automotive-style strut suspension Unit swing arm with coil springs over hydraulic shock absorbers

Performance	
Maximum forward speed	31km/h
Maximum reverse speed	21km/h
Turning radius	4.5 metre

General	
Tyre size	215/60-8 DOT (6-ply rating)
Dry weight (less batteries)	348kg
Seating capacity	4 persons

www.yamaha-motor.eu



Concierge-E 4 Passenger

The technical specifications provided are purely indicative and may be modified without prior notice from the manufacturer and/or importer. In order to ensure the increased lifespan of your vehicle, as well as for driver's safety, the manufacturer's recommendations should be followed in all cases. You are advised to prepare adequately for use of the vehicle. Usage on public roads is forbidden and usage is not recommended below 16 years of age. Please contact your local dealer for more information.